FPRS Title and Subject Index—Vol. VI, 1956

How to Use the Index

Articles are listed in three ways: by title, by subject, and by author. Title and subject listings are combined and appear first. The exact title of each article (omitting only the articles "a", "an", and "the") may be identified by the presence of authors' names in the Title and Subject Index. In addition, each article is listed under one or more subject headings. Categories of subjects, in boldface type, reflect terms in current usage.

The Author Index contains an entry for every author. For articles with a single author, the listing gives author's name, subject, issue number, and page. For articles with two or more authors, the listing for the first author gives all authors' names, subject, issue number, and page; listings for other co-authors refer back to first author. Two or more articles by the same author are listed chronologically.

If the exact title or an author's name is known, an article can be located quickly. If neither the title nor author's name is known, there are many clues by which an article can be found. For example, an article titled High-Temperature Drying of Birch may be found under Seasoning and Birch.

A

Abrasives: See Finishes and Finishing

Adhesives: See Glues and Gluing

Advances in the Field of Wood Preservation in the United States in 1954–55. Hatfield, I. no. 2: p. 59

Air Seasoning. See also Seasoning
Air Drying Ponderosa Pine Lumber in Arizona. Peck, E. C., Kotok, E. S. and Mueller, L. A. no. 2: p. 88

Air Pollution Control and the Forest Products Industries. Feldman, E. S. no. 2: p. 27–A

Alkali and Thio Lignins from Pine Bark. Doughty, J. B., Taylor, F. W., and Henerey, W. T. no. 11: p. 476

Analysis of the Lumber Planing Process: Part II. Koch, P. no. 10: p. 393

Aspen:
Increasing Preservative Penetration in Spruce and Aspen. no. 2: p. 77

Automation in the Board Industry. Campbell, R. L. no. 5: p. 33–A

B

Barking: See also Chemical Debarking, Chemical Utilization, Waste Utilization
Bird-Dogging Forest Materials. no. 1: p. 27
Choice of Barker for Sawmill. no. 9: p. 19–A
Increasing Sawmill Efficiency. no. 1: p. 19
Sodium Arsenite Causes Serious Loss of Tannin in Hemlock Bark. no. 1: p. 38

Beech:
Incising Beech Cross Ties. no. 7: p. 264

Bending:
Safe Bending Radii for Curved Laminates. no. 10: p. 437

Bibliography on Wood Drying—1954. Espenas, L. D. no. 2: p. 69

Birch
High-Temperature Drying. no. 11: p. 469

Bird-Dogging Overlooked Forest Materials. Pearce, J. K. no. 1: p. 27

Blower System Design and Installation. Hyler, J. E. no. 2: p. 26–A

Boring: See Machining

Building Codes:
Canadian Government Agencies in Relation to Forest Products Industries. no. 11: p. 20–A
Effects on Wood Use. no. 12: p. 489
How Research Can Aid the Architect. no. 10: p. 57–A
Materials of Construction Related to Insurance Costs. no. 10: p. 55–A

C

Carbide Tools: See also Machining
U. S. Navy Experience with Carbides in Woodworking. no. 4: p. 159

Care and Maintenance of Veneer Knives. Bowditch, N. no. 10: p. 423

Casehardening Stress Relief of Ponderosa Pine. Winkel, L. D. no. 3: p. 124

Challenging Possibilities of Forestery and Forest Products Research. Robertson, R. B. no. 10: p. 51–A

Charcoal:
Iranian Charcoal Kiln. no. 9: p. 345
Review of Chemical Utilization. no. 2: p. 63

Chemical Seasoning of Lumber. Colgrove, W. H. no. 10: p. 417

Chemical Debarking:
Bird-Dogging Forest Materials. no. 1: p. 27
Sodium Arsenite Causes Serious Loss of Tannin in Hemlock Bark. no. 1: p. 38

Chemical Resistance of Western Woods. Ross, J. D. no. 1: p. 34

Chemical Utilization: See also Pulp and Paper, Waste Utilization
Alkali and Thio Lignins from Pine Bark. no. 11: p. 476
Annual Review. no. 2: p. 63
Iranian Charcoal Kiln. no. 9: p. 345
Pure Organic Chemicals from Pulping Wastes. no. 12: p. 505
Sodium Arsenite as Debarking Agent Causes Serious Loss of Tannin in Hemlock Bark. no. 1: p. 38
Wood—Future Chemical Raw Material. no. 8: p. 289

Chip Yield and Materials Balance as Related to Log Size in the California Pine and Fir Region. Shelton, N. T. no. 8: p. 281

Chipcore: See Particle Board

Chipping: See Pulp and Paper, Waste Utilization

Choice of Barker for the Sawmill. Panel Discussion. no. 9: p. 19–A

Choosing a Hardwood Lumber Grade for Furniture Manufacture. Creighton, J. W. no. 1: p. 11

Combustibility vs. Fire Resistivity. Ellis, E. E. no. 4: p. 161

Competition: See also Marketing
Economics of Glued Laminated Structures. no. 7: p. 271
How Southern Pine Mills and Dealers Can Combat Competitive Materials. no. 12: p. 19–A
NWMA Standards for Millwork and Effect on Competitive Products. no. 2: p. 24–A
Research and Wood Use. no. 8: p. 18–A

Composition Board Has Found Its Place in the Furniture Industry. Yale, R. H. no. 10: p. 365

Construction:
Applying Penta to Wood in Place. no. 10: p. 374
Bending Strength Values of Dimension Lumber in Farm Buildings. no. 6: p. 232
BRAB Committee Report on Protection Against Decay and Termites in Houses. no. 11: p. 485
Canadian Government Agencies in Relation to Forest Products Industries. no. 11: p. 20–A
Combustibility vs. Fire Resistivity, no. 4: p. 161
Economics of Glued Laminated Structures. no. 7: p. 271
Effects of Insurance Rates and Building Codes. no. 12: p. 489
Effects of Variables in Scarf-Jointed Laminations. no. 10: p. 428
Future of Wood. no. 8: p. 296
How Research Can Aid the Architect. no. 10: p. 57–A
How Southern Pine Mills and Dealers Can Combat Competitive Materials. no. 12: p. 19–A
Insulating Fiberboard Roof Deck. no. 9: p. 324
Laminates in Building—1975. no. 8: p. 19–A
Longitudinal Shear in Beams. no. 9: p. 337
Materials of Construction Related to Fire Insurance Costs. no. 10: p. 55–A
Non-Pressure Preservative Treatments for Exterior Woodwork. no. 11: p. 17–A
Past, Present, and Future of Utilization. no. 8: p. 17–A
Strength and Elastic Properties of Two-Species Laminated Beams. no. 6: p. 215
Timber as Structural Material. no. 7: p. 274
Uses of Engelmann Spruce. no. 8: p. 307

Consumer's Point of View on Fruit and Vegetable Shipping Containers. Moore, C. B. no. 6: p. 26–A

Containers: See Packaging

Copper Formate:
Preservation by Chemical Modification. no. 9: p. 340

Creosote: See also Preservation
Incising Beech Cross Ties. no. 7: p. 264
Increasing Preservative Penetration in Spruce and Aspen. no. 2: p. 77

D

Debarking: See Barking, Chemical Debarking

Decay: See Pathology, Preservation
Development of a Method for Rapid Laminating of Lumber without the Use of High-Frequency Heat. Marra, G. G. no. 3: p. 97
Developments in Glues and Gluing. Marra, A. A. no. 2: p. 54
Developments in Logging—1955. Carr, G. J. no. 2: p. 41
Developments in Milling—1955. Mater, M. H. no. 2: p. 48
Developments in Packaging in 1955. Kruger, K. W. no. 2: p. 67
Dielectric Heating: See High Frequency Heating
Dimension: See Lumber
Dimensional Stability: See also Properties
Dimensional Stabilization of Wood with Carbowaxes. Stamm, A. J. no. 5: p. 201
Distribution of Fungicidal Extractives (Thujaplicins and Water-soluble Phenols) in Western Red Cedar Heartwood. MacLean, H. and Gardner, J.A.F. no. 12: p. 510

Douglas-fir:
Color Indicator for Differentiation of Sapwood and Heartwood in Douglas-fir. no. 11: p. 483
Effects of Variables in Scarf-Jointed Laminations. no. 10: p. 428
Fungicidal Toxicity of Extraneous Components of Douglas-fir Heartwood. no. 2: p. 80
Identification of Exterior Plywood. no. 12: p. 497
Plywood Containers. no. 1: p. 5
Variation in Taxifolin Content of Stem Exhibiting Target Ring. no. 6: p. 230

Dry Kilns: See Seasoning

Drying: See Seasoning

Durability of Radio-Frequency Bonded Urea Resin Joints. no. 3: p. 19–A

E

Economics:
Economics of Glued Laminated Structures. Welch, W. E. no. 7: p. 271
Establishing a Particle Board or Hardboard Plant. no. 3: p. 110
Forest Products Research and Industrial Development. no. 10: p. 53–A
Pro-Rating Direct Labor Costs in Furniture Rough Mills. no. 3: p. 108
Timber as Structural Material. no. 7: p. 274

Edge Gluing: See Glues and Gluing

Education:
Basic Courses in Forest Products Curriculum. no. 4: p. 24–A
Development of Technical Personnel On the Job. no. 3: p. 17–A
Forest Products Education Is Everybody's Problem. no. 2: p. 58
Forest Products Research. no. 6: p. 21–A
On-the-Job Training for Technical Personnel, no. 3: p. 14–A
Present and Future Marketing of Forest Products. no. 11: p. 478
Technical Training Through Short Courses. no. 1: p. 11–A
Training Wood Technologists. no. 7: p. 18–A
U. S. Navy Experience with Carbides. no. 4: p. 159
Effect of Boring Speed and Feed Rate on the Strength of Glued Dowel Joints in Tension. Hoyle, R. J. Jr. no. 10: p. 387
Effect of Hardboard, Particle Board, and Similar Products on Traditional Plywood Markets. Smetana, T. no. 1: p. 16–A
Effect of Incising Beech Cross Ties. Franciosi, G. F. no. 7: p. 264
Effect of Moisture Content on the Performance and Appearance of Resorcinol Glue Lines in Laminated Oak Lumber. Murphey, W. K. and Nearn, W. T. no. 5: p. 194
Effect of Temperature Variation on the Results of the Cyclic Exposure Test for Glue Bond Durability. Hart, C. A. no. 7: p. 247
Effect of the Oil Carrier on the Performance of Pentachlorophenol-Treated Wood in Ground Contact Exposure. Meyer, F. J. and Gooch, R. M. no. 3: p. 117
Effect of Tractor Logging upon Hardwood Stands. Herrick, D. E. and Deitschman, G. H. no. 10: p. 403
Effect of Wood-Structure Orientation on Smoothness of Knife-Cut Veneers. Lutz, J. F. no. 11: p. 464
Effects of Insurance Rates and Building Codes on Wood Use. Ellis, E. E. no. 12: p. 489

Elastic Wedges—A New Development for Sash Gang Saws. Hvamb, G. (Translation by L. H. Reineke). no. 4: p. 27–A

Electronic Heating: See High Frequency Heating

Engelmann Spruce:
Properties, Uses and Production. no. 8: p. 307
Engineering: See also Construction, Properties
Bending Strength Values of Dimension Lumber in Farm Buildings. no. 6: p. 232
Effects of Variables in Scarf-Jointed Laminations. no. 10: p. 428
Engineering Design of a Veneer and Plywood Plant. Merritt, E. H. no. 10: p. 419
Hydraulic Test Facility for Timber Structures. no. 5: p. 186
Impact Modulus of Elasticity: Relationship of Impact Values to Static and Dynamic Measurements. no. 5: p. 205
Longitudinal Shear in Beams. no. 9: p. 337
Moisture Content and Flexural Properties in 25 Hardboards. no. 5: p. 179
Stiffness Factors In Plywood Constructions. no. 4: p. 162
Strength and Elastic Properties of Two-Species Laminated Beams. no. 6: p. 215
Testing and Evaluating Building Boards. no. 7: p. 241
Timber as Structural Material. no. 7: p. 274
Equilibrium Moisture Content Relations and Drying Control in Superheated Steam Drying. Kauman, W. G. no. 9: p. 328
Estimating the Moisture Content of Lumber During the Drying Process. Pratt, W. E. no. 9: p. 333
Exploratory Tests to Increase Preservative Penetration in Spruce and Aspen by Mold Infection. Schulz, G. no. 2: p. 77
Extruded Chipcore Board. Crafton, J. M. no. 5: p. 173

F

Fiberboard: See also Hardboard, Insulating Board, Particle Board
Fibreboard Furniture Packages. Evans, J. D. no. 10: p. 59–A
Use of Preservatives in Board Products. no. 10: p. 371

Finishes and Finishing:
Finishing Developments—1955. Johnson, E. S. no. 2: p. 72
Manufacture of Molded Plywood. no. 9: p. 321
New Approaches to Wood Finishing. no. 12: p. 500
Synthetics vs. Nitrocellulose Lacquers. no. 10: p. 450

Fire Resistance: See also Building Codes, Insurance
Combustibility vs. Fire Resistivity, no. 4: p. 161
Effects of Insurance Rates and Building Codes on Wood Use. no. 12: p. 489

First Ten Years of FPRS Progress. Rovsek, F. J. no. 10: p. 355

Forest Products Education Is Everybody's Problem. Panshin, A. J. no. 2: p. 58

Forest Products Research. Dadswell, H. E. no. 6: p. 21–A

Forest Products Research and Industrial Development. Wiesehuegel, E. G. no. 10: p. 53–A

FPRS Committees—Contributors to Society's and Industry's Growth. Kaufert, F. H. no. 2: p. 19–A

FPRS History:
First Ten Years of FPRS Progress. no. 10: p. 355
Ten Years of FPRS Progress. no. 5: p. 31–A

Fuel: See Waste Utilization

Fungicidal Toxicity of Certain Extraneous Components of Douglas-Fir Heartwood. Kennedy, R. W. no. 2: p. 80

Furniture: See also Finishes and Finishing, Glues and Gluing, Particle Board
Choosing a Hardwood Lumber Grade for Furniture. no. 1: p. 11
Composition Board in Furniture Industry. no. 10: p. 365
Fibreboard Furniture Packages. no. 10: p. 59–A
Finishing Developments—1955. no. 2: p. 72
Furniture Manufacturer's Viewpoint on Protection of Furniture for Shipment. Freeman, S. W. no. 10: p. 448
Furniture of the Future. Willard, R. no. 8: p. 299
Manufacture and Use of Particle Board. no. 5: p. 169
Manufacture of Molded Plywood. no. 9: p. 321
New Approaches to Wood Finishing. no. 12: p. 500
Plastic Overlays. no. 1: p. 18–A
Production Control for Maximum Efficiency. no. 3: p. 13–A
Pro-Rating Direct Labor Costs in Furniture Rough Mills. no. 3: p. 108
Synthetics vs. Nitrocellulose Lacquers. no. 10: p. 450
Testing Adhesives: III. Response of Cross-Lap Specimen to Joint Defects. no. 4: p. 142
Future of Wood in Construction. Price, B. no. 8: p. 296

G

Genetic, Growth, and Environmental Factors Affecting Specific Gravity of Loblolly Pine. Zobel, B. J. no. 10: p. 442

Glues and Gluing:
Developments (1956 Annual Review). no. 2: p. 54
Durability of Radio-Frequency Bonded Urea Resin Joints. no. 3: p. 19–A
Economics of Glued Laminated Structures. no. 7: p. 271

Effect of Boring Speed and Feed Rate on Strength of Glued Dowel Joints in Tension. no. 10: p. 387
Effect of Moisture Content on Resorcinol Glue Lines in Laminated Oak. no. 5: p. 194
Effect of Temperature Variation on Cyclic Exposure Test for Glue Bond Durability. no. 7: p. 247
Effects of Variables in Scarf-Jointed Laminations. no. 10: p. 428
Gluing Developments Related to the Navy's Shipbuilding Program. Miles, W. H. and Kuenzel, J. G. no. 6: p. 213
New Veneer Splicing Techniques. no. 2: p. 85
Proposed Method of Estimating Service Life of Exterior Grade Plywood. no. 6: p. 221
Rapid Laminating of Lumber without High-Frequency Heat. no. 3: p. 97
Resilient Gluing Rolls. no. 7: p. 278
Safe Bending Radii for Curved Laminates. no. 10: p. 437
Strength and Elastic Properties of Two-Species Laminated Beams. no. 6: p. 215
Testing Adhesives: III. Response of Cross-Lap Specimen to Joint Defects. no. 4: p. 142
Testing and Evaluating Building Boards. no. 7: p. 241

Grading:
Choosing Hardwood Lumber for Furniture. no. 1: p. 11
How Southern Pine Mills and Dealers Can Combat Competitive Materials. no. 12: p. 19–A
Identification of Exterior Plywood. no. 12: p. 497
Plywood Containers. no. 1: p. 5
Pro-Rating Direct Labor Costs in Furniture Rough Mills. no. 3: p. 108

Greater Utilization of Material Obtained from New Machine. Murphey, W. K. and Schneider, G. D. no. 9: p. 319

H

Handbook for Small Sawmill Operators: How to Attain and Maintain Accuracy of Cutting. — Introduction. Simmons, F. C. and Bethel, J. S. no. 3: p. 105

Handbook for Small Sawmill Operators: Part I. Machinery. Mater, M. H. and Clevenger, E. no. 4: p. 137

Handbook for Small Sawmill Operators: Part II. Saws. Mayberry, E. A. and Gommel, D. no. 5: p. 190

Handbook for Small Sawmill Operators: Part III. Mill Setup. Compton, K. C. and Bell, G. E. no. 6: p. 209

Handbook for Small Sawmill Operators: Part IV. Mill Operation and Trouble Shooting. Thomas, D. P. and Carpenter, R. D. no. 7: p. 258

Handbook for Small Sawmill Operators: Glossary and Appendix. O'Neil, W. J. and Sims, J. P. no. 8: p. 302

Hardboard: See also Fiberboard, Insulating Board, Particle Board
Automation in Board Industry. no. 5: p. 33–A
Effect of Hardboard on Plywood Markets. no. 1: p. 16–A
Establishing a Hardboard Plant. no. 3: p. 110
Hardboard from Extracted Juniper Chips. Frashour, R. G. and Nixon, G. D. no. 2: p. 73
Moisture Content and Flexural Properties in 25 Hardboards. no. 5: p. 179
Plastic Overlays. no. 1: p. 18–A
Testing and Evaluating Building Boards. no. 7: p. 241
Utilization of Hardwood Waste. no. 10: p. 369
World Wide Forest Products Review. no. 2: p. 31–A.

Hardwoods: See also Lumber and by species
Central States Forests. no. 7: p. 255
Choosing a Lumber Grade for Furniture. no. 1: p. 11
Effect of Tractor Logging Hardwood Stands. no. 10: p. 403
High-Temperature Drying. no. 11: p. 469
Improved Utilization by Modern Drying. no 3: p. 121
Utilization of Waste. no. 10: p. 369
Vapor Drying Western Woods. no. 1: p. 30

Hemlock:
Sodium Arsenite as Debarking Agent Causes Serious Loss of Tannin in the Bark. no. 1: p. 38
Variables Affecting Shrinkage of Western Hemlock. no. 4: p. 148

High Frequency Heating:
Durability of Radio-Frequency Bonded Urea Resin Joints. no. 3: p. 19–A
New Veneer Splicing Techniques. no. 2: p. 85

High-Temperature Drying of Yellow Birch. Ladell, J. L. no. 11: p. 469

Highlights of the Central States Forests. Hutchison, O. K. no. 7: p. 255

Housing: See Construction

How Research Can Aid the Architect in Specifying Forest Products. Panel Discussion. no. 10: p. 57–A

How Southern Pine Mills and Dealers Can Combat Competitive Materials. Hammerle, W. C. no. 12: p. 19–A

Hydraulic Test Facility for Timber Structures. Suddarth, S. K. no. 5: p. 186

Hydrocarbon Oils: See Creosote, Preservation

I

Identification of Exterior Plywood. Rauch, A. H. no. 12: p. 497

Impact Modulus of Elasticity in Wood: A Relationship of Impact Values to Static and Dynamic Measurements. Zerbe, J. I. no. 5: p. 205

Importance of Paperboard as a Forest Product. Malcolmson, J. D. no. 5: p. 198

Impreg:
Gluing Developments in Shipbuilding. no. 6: p. 213

Improved Utilization of Western Hardwoods by Modern Drying. Smith, H. H. no. 3: p. 121

Increasing Sawmill Efficiency. Compton, K. C. no. 1: p. 19

Instruments for Alining the Knife and Nosebar on the Veneer Lathe and Slicer. Fleischer, H. O. no. 1: p. 1

Insulation Board: See also Fibreboard, Hardboard, Particle Board
Insulating Fibreboard Roof Deck. Close, P. D. no. 9: p. 324
Testing and Evaluating Building Boards, no. 7: p. 241
Use of Preservatives in Board Products. no. 10: p. 371

Insurance: See also Building Codes, Construction
Effects of Insurance Rates and Building Codes on Wood Use. no. 12: p. 489
Materials of Construction Related to Insurance Costs. no. 10: p. 55–A

Integrated Utilization of Northeastern Timber Stands. Whittemore, L. F. and Herr, C. S. no. 1: p. 13–A

Investigating Rotary Veneer Cutting with the Aid of a Tension Test. Kivimaa, E. no. 7: p. 251

Investigation into the Effects of Certain Variables in Scarf-Jointed Timber Laminations. Fox, S. P. no. 10: p. 428

Iranian Charcoal Kiln. Olson, A. R. no. 9: p. 345

J

Juniper:
Hardboard from Extracted Juniper Chips. no. 2: p. 73

K

Kiln Drying: See Seasoning

L

Laboratory Facilities:
Western Pine Association. no. 7: p. 17–A

Lacquers: See Finishes and Finishing

Laminated Wood: See also Construction, Glues and Gluing
Economics of Glued Laminated Structures. no. 7: p. 271
Effect of Moisture Content on Resorcinol Glue Lines in Laminated Oak. no. 5: p. 194
Effects of Variables in Scarf-Jointed Laminations. no. 10: p. 428
Gluing Developments in Shipbuilding. no. 6: p. 213
Longitudinal Shear in Beams. no. 9: p. 337
Rapid Laminating of Lumber without High-Frequency Heat. no. 3: p. 97
Safe Bending Radii for Curved Laminates. no. 10: p. 437
Strength and Elastic Properties of Two-Species Laminated Beams. no. 6: p. 215

Laminates in Building—1975. Solow, R. I. no. 8: p. 19–A

Lignin: See also Chemical Utilization
Alkali and Thio Lignins from Pine Bark. no. 11: p. 476
Pure Organic Chemicals from Pulping Wastes. no. 12: p. 505
Review of Chemical Utilization. no. 2: p. 63
Wood—Future Chemical Raw Material. no. 8: p. 289

Loblolly Pine:
Factors Affecting Specific Gravity of Loblolly Pine. no. 10: p. 442

Logging:
Bird-Dogging Forest Materials. no. 1: p. 27
Developments in 1955. no. 2: p. 41
Integrated Utilization of Northeastern Timber. no. 1: p. 13–A
Needed: Economical Methods of Logging Young-Growth Western Softwoods. no. 1: p. 16
Tractor Logging Hardwood Stands. no. 10: p. 403
World-Wide Forest Products Review. no. 2: p. 31–A

Longitudinal Shear in Wooden Beams. Meadows, J. C. Jr. no. 9: p. 337

Look Ahead in Northeastern Sawmilling. Simmons, F. C. no. 8: p. 292

Lumber: See also Sawmilling
Air Drying Ponderosa Pine. no. 2: p. 88
Bending Strength Values of Dimension Lumber in Farm Buildings. no. 6: p. 232

Lumber: *Continued*
Choosing a Hardwood Grade for Furniture. no. 1: p. 11
Developments in Milling—1955. no. 2: p. 48
Estimating Moisture Content During Drying Process. no. 9: p. 333
How Southern Pine Mills and Dealers Can Combat Competitive Materials: no. 12: p. 19–A
Improved Utilization of Western Hardwoods by Modern Drying. no. 3: p. 121
Increasing Sawmill Efficiency. no. 1: p. 19
Integrated Utilization of Northeastern Timber. no. 1: p. 13–A
Plastic Overlays. no. 1: p. 18–A
Power Requirements for Sawing Redwood Cants. no. 10: p. 408
Properties, Uses and Production of Engelmann Spruce. no. 8: p. 307
Pro-Rating Direct Labor Costs in Furniture Rough Mills. no. 3: p. 108
Rapid Laminating of Lumber without High-Frequency Heat. no. 3: p. 97
Research Program of Western Pine Association. no. 7: p. 17–A
Shipment in Box Cars. no. 7: p. 20–A
Split Personality in Research. no. 12: p. 22–A
World-Wide Forest Products Review. no. 2: p. 31–A

M

Machining:
Analysis of Planing Process. no. 10: p. 393
Blower System Design and Installation. no. 2: p. 26–A
Effect of Boring Speed and Feed Rate on Strength of Glued Dowel Joints in Tension. no. 10: p. 387
Greater Utilization Obtained with Wood Slicer. no. 9: p. 319
Manufacture of Molded Plywood. no. 9: p. 321
Motion Energy of Wood Particles. no. 12: p. 507
Operational Research in Wood Turning. no. 6: p. 24–A
Planer Feeding Difficulties. no. 6: p. 240
U. S. Navy Experience with Carbides. no. 4: p. 159
Width Aspects of Molders and Cutters. no. 1: p. 15

Maintenance of Quality in the Manufacture of Molded Plywood. McKay, R. A. no. 9: p. 321

Manufacture and Use of Wood Particle Board. Bibby, R. D. no. 5: p. 169

Manufacture of Pure Organic Chemicals from Chemical Pulping Wastes. Pearl, I. A. no. 12: p. 505

Marketing: See also Competition
Canadian Government Agencies in Relation to Forest Products Industries. no. 11: p. 20–A
Effect of Board Products on Plywood Markets. no. 1: p. 16–A
Establishing a Particle Board or Hardboard Plant. no. 3: p. 110
Future of Wood in Construction. no. 8: p. 296
How Southern Pine Mills and Dealers Can Combat Competitive Materials. no. 12. p. 19–A
Merchandising Forest Products. no. 6: p. 17–A
Present and Future Marketing of Forest Products. no. 11: p. 478
Split Personality in Research. no. 12: p. 22–A

Masking Overlays: See Overlays

Material Handling:
Engineering Design of Plywood Plant. no. 10: p. 419
Increasing Sawmill Efficiency. no. 1: p. 19
Look Ahead in Sawmilling. no. 8: p. 292
Sawmill Developments in Northeast. no. 6: p. 19–A
Shipping Lumber in Box Cars. no. 7: p. 20–A

Materials of Construction Related to Fire Insurance Costs. Morris, J. W. Jr. no. 10: p. 55–A

Melamine Resin:
New Approaches to Finishing. no. 12: p. 500

Merchandising Forest Products. Welsh, J. R. no. 6: p. 17–A

Millwork:
Non-Pressure Preservative Treatments for Exterior Woodwork. no. 11: p. 17–A
NWMA Standards and Effect on Competitive Products. no. 2: p. 24–A
Uses of Engelmann Spruce, no. 8: p. 307

Modern Electric Drives for the Lumber Industry. Lagers, W. L. no. 9: p. 25–A

Moisture Measurement: See also Seasoning
Veneer Drying. no. 11: p. 459

Molded Products: See Waste Utilization

Molding: See Machining

Motion Energy of Wood Particles. Reineke, L. H. no. 12: p. 507

N

Needed: Economical New Methods of Logging Young-Growth Western Softwoods. Matson, E. E. no. 1: p. 16

New Approaches to Wood Finishing. Kirsch, A. J. no. 12: p. 500

New Color Indicator for the Differentiation of Sapwood and Heartwood in Douglas-fir. Lund, A. E. and Sciascia, M. no. 11: p. 483

New Method for Applying Pentachlorophenol to Wood in Place. Van Allen, R. G. no. 10: p. 374

New Method for Long Term Preservation of Wood by Chemical Modification. Smith, F. G. W., Bottoms, R. R., Abrams, E., and Miller, S. M. no. 9: p. 340

New Method for Testing Wood Adhesives: III. Response of the Cross-Lap Specimen to Joint Defects. Marra, A. A. no. 4: p. 142

Non-Pressure Preservative Treatments for Exterior Woodwork of Buildings. Verrall, A. F. no. 11: p. 17–A

NWMA Standards for Millwork and Their Effect on Competitive Products. Lance, O. C. no. 2: p. 24–A

O

On-the-Job Orientation Training for Technical Personnel. Maybach, L. F. no. 3: p. 14–A

Operational Research in the Wood Turning Industry. Tebbets, J. W. no. 6: p. 24–A

Oscillating Pressure Method of Wood Impregnation. Hudson, M. S. and Henriksson, S. T. no. 10: p. 381

Our Changing Veneer and Plywood Industry. Fleischer, H. O. no. 2: p. 50

Overlays:
New Approaches to Finishing. no. 12: p. 500
Plastic Overlays for Wood Products. no. 1: p. 18–A

P

Packaging:
Developments in 1955. no. 2: p. 67
Fibreboard Furniture Packages. no. 10: p. 59–A
Fruit and Vegetable Containers. no. 6: p. 26–A
Importance of Paperboard as Forest Product. no. 5: p. 198
Plywood Containers. no. 1: p. 5
Protection of Furniture for Shipment. no. 10: p. 448
Wooden Boxes and Crates. no. 4: p. 21–A

Paints and Painting: See also Finishes and Finishing
Effects of Different Oil or Oleoresinous Vehicles on Swelling of Paint Films in Water. no. 4: p. 152
Effects of Latex Vehicles on Swelling of Paint Films in Water. no. 6: p. 235
Effects of Temperature During Soaking and Film Formation, and Repeated Soaking and Drying on Swelling of Paint Films in Water. no. 10: p. 453
Swelling of Linseed Oil Paints in Water and Organic Liquids. no. 8: p. 312

Pallets: See Packaging

Paper: See Pulp and Paper

Paper Overlays: See Overlays

Particle Board: See also Fiberboard, Hardboard, Insulating Board
Automation in Board Industry. no. 5: p. 33–A
Composition Board in Furniture Industry. no. 10: p. 365
Continuous Process. no. 5: p. 176
Effect of Particle Board on Plywood Markets. no. 1: p. 16–A
Establishing a Particle Board Plant. no. 3: p. 110
Extruded Chipcore Board. no. 5: p. 173
Giant in the Making. no. 10: p. 363
Manufacture and Use of Particle Board. no. 5: p. 169
Plastic Overlays. no. 1: p. 18–A
Testing and Evaluating Building Boards, no. 7: p. 241

Past, Present, and Future of Wood Utilization. Wilner, J. R. no. 8: p. 17–A

Pathology: See also Preservation
Fungicidal Toxicity of Extraneous Components of Douglas-Fir Heartwood. no. 2: p. 80
Variation in Taxifolin Content of Douglas-Fir Stem Exhibiting Target Ring. no. 6: p. 230

Pentachlorophenol: See also Preservation
Applying Penta to Wood in Place. no. 10: p. 374
Effect of Oil Carrier on Pentachlorophenol-Treated Wood in Ground Contact Exposure. no. 3: p. 117

Physics: See Engineering, Properties

Place of Basic Courses in the Forest Products Curriculum. Marckworth. G. D. no. 4: p. 24–A

Planing: See also Machining
Planer Feeding Difficulties. Hyler, J. E. no. 6: p. 240

Plant Layout: See also Material Handling
Automation in Board Industry. no. 5: p. 33–A
Choice of Barker for Sawmill. no. 9: p. 19–A
Engineering Design of Plywood Plant. no. 10: p. 419
Establishing a Particle Board or Hardboard Plant. no. 3: p. 110
Handbook for Small Sawmill Operators: III, Mill Setup. no. 6: p. 209
Increasing Sawmill Efficiency. no. 1: p. 19
Production Control for Maximum Efficiency. no. 3: p. 13–A

Plastic Overlays: See also Overlays
Plastic Overlays for Wood Products. Works, W. R. no. 1: p. 18–A

Plywood: See also Veneer
Advances in Wood Preservation in 1954–55. no. 2: p. 59
Changing Veneer and Plywood Industry. no. 2: p. 50
Effect of Board Products on Plywood Markets. no. 1: p. 16–A
Effect of Temperature Variation on Cyclic Exposure Test for Glue Bond Durability. no. 7: p. 247
Engineering Design of Plywood Plant. no. 10: p. 419
Experimental Designs Applicable to Wood. no. 10: p. 425
Identification of Exterior Plywood. no. 12: p. 497
Manufacture of Molded Plywood. no. 9: p. 321
Plastic Overlays. no. 1: p. 18–A
Plywood Used in Containers. Countryman, D. no. 1: p. 5
Proposed Method of Estimating Service Life of Exterior Grade Plywood. no. 6: p. 221
Stiffness Factors In Plywood Constructions. no. 4: p. 162
Uses of Engelmann Spruce. no. 8: p. 307
World Plywood Situation. no. 11: p. 25–A
World-Wide Forest Products Review. no. 2: p. 31–A

Polyvinyl Resin: See also Glues and Gluing
Effect of Boring Speed and Feed Rate on Strength of Glued Dowel Joints in Tension. no. 10: p. 387

Ponderosa Pine:
Casehardening Stress Relief. no. 3: p. 124
Power Requirements for Sawing Redwood Cants with Seven-Foot Diameter Bandmill. Mater, M. H. no. 10: p. 408
Prefabricated Dry Kiln Buildings. Elliott R. H. no. 9: p. 17–A

Prefabricated Housing: See also Construction
Laminates in Building—1975. no. 8: p. 19–A
Preliminary Report on a Proposed New Method of Estimating the Service Life of Exterior Grade Plywood. Pearson, W. J. no. 6: p. 221
Present and Future Marketing of Forest Products. Panel Discussion. no. 11: p. 478
Present and Future Problems of Timber as a Structural Material. Panel Discussion. no. 7: p. 274

Preservation:
Advances in Wood Preservation in 1954–55. no. 2: p. 59
Applying Penta to Wood in Place. no. 10: p. 374
BRAB Committee Report on Protection Against Decay and Termites in Houses. no. 11: p. 485
Chemical Resistance of Western Woods. no. 1: p. 34
Color Indicator for Differentiation of Sapwood and Heartwood in Douglas-fir. no. 11: p. 483
Distribution of Fungicidal Extractives in Western Red Cedar Heartwood. no. 12. p. 510
Effect of Oil Carrier on Pentachlorophenol-Treated Wood in Ground Contact Exposure. no. 3. p. 117
Fungicidal Toxicity of Extraneous Components of Douglas-fir Heartwood. no. 2: p. 80
Gluing Developments in Shipbuilding. no. 6: p. 213
Incising Beech Cross Ties. no. 7. p. 264
Increasing Preservative Penetration in Spruce and Aspen. no. 2. p. 77
Long Term Preservation by Chemical Modification. no. 9: p. 340
Non-Pressure Treatments for Exterior Woodwork. no. 11: p. 17–A
Oscillating Pressure Method of Impregnation. no. 10: p. 381
Timber as Structural Material. no. 7: p. 274
Use of Preservatives in Board Products. no. 10: p. 371
Vapor Drying Western Woods. no. 1: p. 30
Variation in Taxifolin Content of Douglas-Fir Stem Exhibiting Target Ring. no. 6: p. 230

Problems in Training Wood Technologists. Anderson, E. A. no. 7: p. 18–A
Producing Particle Board by a Continuous Process. Louis, L. R. no. 5: p. 176
Production Control for Maximum Machine Efficiency. Wilder, R. F. no. 3: p. 13–A
Professional Development of Technical Personnel On the Job. Baker, R. E. no. 3: p. 17–A
Progress Report on Survey of Bending Strength Values of Dimension Lumber Used in Farm Work Buildings in the Northeastern States. Ostrander, M. D. no. 6: p. 232

Properties: See also Engineering
Bending Strength Values of Dimension Lumber in Farm Buildings no. 6: p. 232
Chemical Resistance of Western Woods. no. 1: p. 34
Chemical Seasoning of Lumber. no. 10: p. 417
Composition Board in Furniture Industry. no. 10: p. 365
Dimensional Stabilization with Carbowaxes. no. 5: p. 201
Distribution of Fungicidal Extractives in Western Red Cedar Heartwood. no. 12: p. 510
Effect of Moisture Content on Resorcinol Glue Lines in Laminated Oak. no. 5: p. 194
Effect of Temperature Variation on Cyclic Exposure Test for Glue Bond Durability. no. 7: p. 247
Effect of Wood-Structure Orientation on Smoothness of Knife-Cut Veneers. no. 11: p. 464
Effects of Variables in Scarf-Jointed Laminations. no. 10: p. 428
Factors Affecting Specific Gravity of Loblolly Pine. no. 10: p. 442
Hardboard from Extracted Juniper Chips. no. 2: p. 73
Impact Modulus of Elasticity: Relationship of Impact Values to Static and Dynamic Measurements. no. 5: p. 205
Insulating Fiberboard Roof Deck. no. 9: p. 324
Investigating Rotary Veneer Cutting with Tension Test. no. 7: p. 251
Long Term Preservation by Chemical Modification. no. 9: p. 340
Longitudinal Shear in Beams. no. 9: p. 337
Moisture Content and Flexural Properties in 25 Hardboards. no. 5: p. 179
Particle Board—Giant in the Making. no. 10: p. 363
Plywood Used in Containers. no. 1: p. 5
Properties, Uses and Production of Engelmann Spruce. Anderson, I. V. no. 8: p. 307
Proposed Method of Estimating Service Life of Exterior Grade Plywood. no. 6: p. 221
Shrinkage Intersection Point—Significance and Method of Determination. no. 10: p. 411
Sorption Hysteresis in Relation to Wood Thickness. no. 6: p. 225
Stiffness Factors In Plywood Constructions. no. 4: p. 162
Strength and Elastic Properties of Two-Species Laminated Beams. no. 6: p. 215
Strength Properties of Plantation-Grown Slash Pine. no. 3: p. 129
Testing Adhesives: III. Response of Cross-Lap Specimen to Joint Defects. no. 4: p. 142
Testing and Evaluating Building Boards. no. 7: p. 241
Variables Affecting Shrinkage of Western Hemlock. no. 4: p. 148

Pulp and Paper:
Alkali and Thio Lignins from Pine Bark. no. 11: p. 476
Chip Yield and Materials Balance Related to Log Size in California Pine and Fir. no. 8: p. 281
Importance of Paperboard as Forest Product. no. 5: p. 198
Integrated Utilization of Northeastern Timber. no. 1: p. 13–A
Look Ahead in Sawmilling. no. 8: p. 292
Past, Present, and Future of Utilization. no. 8: p. 17–A
Pure Organic Chemicals from Pulping Wastes. no. 12: 505
Review of Chemical Utilization. no. 2: p. 63
Uses of Engelmann Spruce. no. 8: p. 307
Wood—Future Chemical Raw Material. no. 8: p. 289
World-Wide Forest Products Review. no. 2. p. 31–A

Q

Quality Control:
Alining Knife and Nosebar on Veneer Lathe and Slicer. no. 1: p. 1
Care and Maintenance of Veneer Knives. no. 10: p. 423
Experimental Designs Applicable to Wood. no. 10: p. 425
Handbook for Small Sawmill Operators: Introduction—no. 3: p. 105; Part I. Machinery—no. 4: p. 137; Part II. Saws—no. 5: p. 190; Part III. Mill Setup—no. 6: p. 209; Part IV. Mill Operation and Trouble Shooting—no. 7: p. 258; Glossary and Appendix—no. 8: p. 302
Increasing Sawmill Efficiency. no. 1: p. 19
Manufacture of Molded Plywood. no. 9: p. 321
Statistical Sampling in Receiving Inspection. no. 12: p. 492
Testing and Evaluating Building Boards, no. 7: p. 241

R

Radio-Frequency Heating: See High Frequency Heating
Reducing Sawmill Waste 90 Per Cent in Six Years. Ivory, E. P. no. 8: p. 279

Red Oak:
Effect of Moisture Content on Resorcinol Glue Lines in Laminated Oak. no. 5: p. 194

Redwood:
Power Requirements for Sawing Cants with Seven-Foot Diameter Bandmill. no. 10: p. 408

Reeling at the Rotary Lathe. Hyler, J. E. no. 12: p. 24–A
Relationship of Moisture Content and Flexural Properties in 25 Commercial Hardboards. Stillinger, J. R. and Coggan, W. G. no. 5: p. 179
Relationship of Research in Forest Products and Forestry. Nelson, D. no. 4: p. 19–A
Report Regarding Building Research Advisory Board Committee on Protection Against Decay and Termites in Residential Construction. Garlick, G. G. no. 11: p. 485

Research:
Bird-Dogging Forest Materials. no. 1: p. 27
Canadian Government Agencies in Relation to Forest Products Industries. no. 11: p. 20–A
Challenging Possibilities of Forestry and Forest Products Research. no. 10: p. 51–A
First Ten Years of FPRS Progress. no. 10: p. 355
Forest Products Research. no. 6: p. 21–A
Forest Products Research and Industrial Development. no. 10: p. 53–A
FPRS Committees—Contributors to Society's and Industry's Growth. no. 2: p. 19–A
Furniture of the Future. no. 8: p. 299
How Research Can Aid the Architect. no. 10: p. 57–A
Operational Research in Wood Turning. no. 6: p. 24–A
Relationship of Research in Forest Products and Forestry. no. 4: p. 19–A
Research and Wood Use. Jorgensen, R. N. no. 8: p. 18–A
Research Facilities and Program of the Western Pine Association. Rasmussen, C. A. no. 7: p. 17–A
Research Facilities for Small Forest Products Industries. Graham, P. H. no. 8: p. 285
Roots of Research. no. 2: p. 21–A
Split Personality in Research. no. 12: p. 22–A
Ten Years of FPRS Progress. no. 5: p. 31–A

Residue Utilization: See Chemical Utilization, Waste Utilization
Resilient Gluing Rolls. Black, R. S. no. 7: p. 278

Resorcinol Resin: See also Glues and Gluing
Effect of Moisture Content on Resorcinol Glue Lines in Laminated Oak. no. 5: p. 194
Review of Chemical Utilization. Locke, E. G. no. 2: p. 63
Review of Sawmill Developments in the Northeast. Tolle, S. W. no. 6: p. 19–A
Roots of Research. Farber, E. no. 2: p. 21–A

S

Safe Bending Radii for Curved Laminates. Finnorn, W. J. and Rapavi, A. no. 10: p. 437

Sanding: See Finishes and Finishing
Sawing Rates, Sawdust Chambering, and Spillage. Reineke, L. H. no. 9: p. 348

Sawmilling:
Chip Yield and Materials Balance Related to Log Size in California Pine and Fir. no. 8: p. 281
Choice of Barker. no. 9: p. 19–A
Choosing a Hardwood Lumber Grade for Furniture. no. 1: p. 11
Developments in 1955. no. 2: p. 48
Developments in Northeast. no. 6: p. 19–A
Elastic Wedges for Sash Gang Saws. no. 4: p. 27–A
Electric Drives for Lumber Industry. no. 9: p. 25–A
Handbook for Small Sawmill Operators: Introduction—no. 3: p. 105; Part I. Machinery—no. 4: p. 137; Part II. Saws—no. 5: p. 190; Part III. Mill Setup—no. 6: p. 209; Part IV. Mill Operation and Trouble Shooting—no. 7: p. 258; Glossary and Appendix—no. 8: p. 302
Increasing Sawmill Efficiency. no. 1: p. 19
Integrated Utilization of Northeastern Timber. no. 1: p. 13–A
Look Ahead in Northeast. no. 8: p. 292
Motion Energy of Wood Particles. no. 12: p. 507
Power Requirements for Sawing Redwood Cants with Seven-Foot Diameter Bandmill. no. 10: p. 408
Production of Engelmann Spruce. no. 8: p. 307
Pro-Rating Direct Labor Costs in Furniture Rough Mills. no. 3: p. 108
Reducing Waste 90 Per Cent in Six Years. no. 8: p. 279
Sawing Rates, Sawdust Chambering, and Spillage. no. 9: p. 348

Seasoning:
Air Drying Ponderosa Pine Lumber. no. 2: p. 88
Bibliography on Wood Drying—1954. no. 2: p. 69
Casehardening Stress Relief of Ponderosa Pine. no. 3: p. 124
Changing Veneer and Plywood Industry. no. 2: p. 50
Chemical Seasoning of Lumber. no. 10: p. 417
Dimensional Stabilization with Carbowaxes. no. 5: p. 201
Equilibrium Moisture Content Relations and Drying Control in Superheated Steam Drying. no. 9: p. 328
Estimating Moisture Content During Drying Process. no. 9: p. 333
High-Temperature Drying. no. 11: p. 469
Improved Utilization of Western Hardwoods by Modern Drying. no. 3: p. 121
Incising Beech Cross Ties. no. 7: p. 264
Prefabricated Dry Kiln. no. 11: p. 19–A
Prefabricated Dry Kiln Buildings. no. 9: p. 17–A
Shrinkage Intersection Point—Significance and Method of Determination. no. 10: p. 411
Sorption Hysteresis in Relation to Wood Thickness. no. 6: p. 225
Vapor Drying Western Woods. no. 1: p. 30
Variables Affecting Shrinkage of Western Hemlock. no. 4: p. 148
Veneer Drying. no. 11: p. 459

Short Courses:
Technical Training Through Short Courses. no. 1: p. 11–A

Short System for Pro-Rating Direct Labor Costs in Furniture Plant Rough Mills. Creighton, J. W. no. 3: p. 108

Shrinkage Intersection Point—Its Significance and the Method of Its Determination. Kelsey, K. E. no. 10: p. 411

Significant Factors for Establishing a Particle Board or Hardboard Plant. Rooney, S. C. no. 3: p. 110

Slash Pine:
Strength Properties of Plantation-Grown Slash Pine. no. 3: p. 129

Slicing:
Greater Utilization Obtained with New Machine. no. 9: p. 319
Sodium Arsenite as a Debarking Agent for Hemlock Trees Causes Serious Loss of Tannin in the Bark. Beebe, C. W., Rogers, J. S., Luvisi, F. P., and Koepp, W. H. no. 1: p. 38

Softwoods: See also Lumber and by species
Chemical Resistance of Western Woods, no. 1: p. 34
Needed: Economical Methods of Logging Young-Growth. no. 1: p. 16
Vapor Drying Western Woods. no. 1: p. 30
Some Experimental Designs Applicable to Problems with Wood. Hader, R. J. no. 10: p. 425
Some Variables Affecting the Shrinkage of Western Hemlock. Fountain, W. C. and Guernsey, F. W. no. 4: p. 148
Sorption Hysteresis in Relation to Wood Thickness. Schniewind, A. P. no. 6: p. 225

Southern Pine:
How Mills and Dealers Can Combat Competitive Materials. no. 12: p. 19–A
Longitudinal Shear in Beams. no. 9: p. 337

Specific Gravity: See Properties
Split Personality in Forest Products Research. Foland, M. A. no. 12: p. 22–A

Spruce:
Increasing Preservative Penetration in Spruce and Aspen. no. 2: p. 77

Statistical Analysis: See also Quality Control
Statistical Sampling Proves Efficient and Accurate in Receiving Inspection. Reed, L. O. and White, R. T. no. 12: p. 492
Stiffness Factors Involved In Plywood Constructions. Roy, L. no. 4: p. 162
Stowing and Bracing Lumber for Shipment in Box Cars. Randle, L. M. no. 7: p. 20–A
Strength and Elastic Properties of Two-Species Laminated Wood Beams. Jorgensen, R. N. no. 6: p. 215
Strength Properties of Plantation-Grown Slash Pine. Kramer, P. R. and Smith, R. L. no. 3: p. 129
Swelling of Paint Films in Water: VI. Effects of Different Oil or Oleoresinous Vehicles. Browne, F. L. no. 4: p. 152
Swelling of Paint Films in Water: VII. Latex Vehicles. Browne, F. L. no. 6: p. 235
Swelling of Paint Films in Water: VIII. Swelling of Linseed Oil Paints in Water and Organic Liquids. Browne, F. L. no. 8: p. 312
Swelling of Paint Films in Water: IX. Effects of Temperature During Soaking and Film Formation, and Repeated Soaking and Drying. Browne, F. L. no. 10: p. 453
Synthetics vs. Nitrocellulose Lacquers. Beaver, W. M. no. 10: p. 450

T

Tanks:
Chemical Resistance of Western Woods. no. 1: p. 34

Tannin:
Sodium Arsenite as Debarking Agent Causes Serious Loss of Tannin in Hemlock Bark. no. 1: p. 38
Technical and Practical Considerations in Veneer Drying. Holden, A. S. Jr. no. 11: p. 459

Technical Training Through Short Courses. Smith, W. R. no. 1: p. 11–A
Ten Years of FPRS Progress and A Look Ahead. Hunt, G. M. no. 5: p. 31–A
Testing and Evaluating Procedures for Building Boards. Lewis, W. C. no. 7: p. 241
Today's Prefabricated Dry Kiln. Pope, E. M. no. 11: p. 19–A
Tungsten: See Carbide Tools, Machining
Turning:
Operational Research in Wood Turning. no. 6: p. 24–A

U

U. S. Navy Experience with Carbides Applied to Woodworking Machines. Kelley, T. M. no. 4: p. 159
Universities: See Education
Urea Resin:
Durability of Radio-Frequency Bonded Joints. no. 3: p. 19–A
Use of Preservatives in Board Products. Meek, W. L. no. 10: p. 371
Utilization of Hardwood Waste. Copeland, J. J. no. 10: p. 369

V

Vapor Drying of Western Woods. Cantrell, W. R. no. 1: p. 30
Variation in Taxifolin Content of a Douglas-Fir Stem Exhibiting Target Ring. Kennedy, R. W. and Wilson, J. W. no. 6: p. 230
Varnish: See Finishes and Finishing
Veneer: See also Plywood
Care and Maintenance of Veneer Knives. no. 10: p. 423
Changing Veneer and Plywood Industry. no. 2: p. 50
Effect of Wood-Structure Orientation on Smoothness of Knife-Cut Veneers. no. 11: p. 464
Instruments for Alining Knife and Nosebar on Lathe and Slicer. no. 1: p. 1
Investigating Rotary Veneer Cutting with Tension Test. no. 7: p. 251
New Splicing Techniques. no. 2: p. 85
Reeling at Rotary Lathe. no. 12: p. 24–A
Statistical Sampling in Receiving Inspection. no. 12: p. 492
Veneer Drying. no. 11: p. 459

W

Wallboard: See Fiberboard, Hardboard, Insulating Board, Particle Board
Waste Utilization:
Air Pollution Control. no. 2: p. 27–A
Alkali and Thio Lignins from Pine Bark. no. 11: p. 476
Automation in Board Industry. no. 5: p. 33–A
Bird-Dogging Forest Materials. no. 1: p. 27
Central States Forests. no. 7: p. 255
Chip Yield and Materials Balance Related to Log Size in California Pine and Fir. no. 8: p. 281
Choice of Barker for Sawmill. no. 9: p. 19–A
Choosing a Hardwood Lumber Grade for Furniture no. 1: p. 11
Developments in Milling—1955. no. 2: p. 48
Engineering Design of Plywood Plant. no. 10: p. 419
Establishing a Particle Board or Hardboard Plant. no. 3: p. 110
Extruded Chipcore Board. no. 5: p. 173
Integrated Utilization of Northeastern Timber. no. 1: p. 13–A
Laminating of Lumber without High-Frequency Heat. no. 3: p. 97
Look Ahead in Sawmilling. no. 8: p. 292
Manufacture and Use of Particle Board. no. 5: p. 169
Particle Board by Continuous Process. no. 5: p. 176
Particle Board—Giant in the Making. no. 10: p. 363
Past, Present, and Future of Wood Utilization. no. 8: p. 17–A
Reducing Sawmill Waste 90 Per Cent in Six Years. no. 8: p. 279
Review of Chemical Utilization. no. 2: p. 63
Utilization of Hardwood Waste. no. 10: p. 369
Wood—Future Chemical Raw Material. no. 8: p. 289
Western Red Cedar:
Distribution of Fungicidal Extractives in Heartwood. no. 12: p. 510
What's New in Veneer Splicing Techniques. Mann, J. W. no. 2: p. 85
Width Aspects of Molders and Their Cutters. Hyler, J. E. no. 1: p. 15
Wood Award:
Effects of Variables in Scarf-Jointed Laminations. Fox, S. P. no. 10: p. 428
Estimating Service Life of Exterior Grade Plywood. Pearson, W. J. no. 6: p. 221
Wood Flour:
Past, Present, and Future of Utilization. no. 8: p. 17–A
Wood Particle Board—A Giant in the Making. Urling, G. P. no. 10: p. 363
Wood—The Future Chemical Raw Material. Locke, E. G. no. 8: p. 289
Wooden Boxes and Crates, Thompson, C. O. no. 4: p. 21–A
Work of Canadian Government Agencies in Relation to the Forest Products Industries. Panel Discussion. no. 11: p. 20–A
World Plywood Situation. no. 11: p. 25–A
World-Wide Forest Products Review. no. 2: p. 31–A

Author Index—Vol. VI, 1956

A

Abrams, E. *See* Smith, F. G. W.
Anderson, E. A. Training Wood Technologists. no 7: p. 18–A
Anderson, I. V. Properties and Uses of Engelmann Spruce. no. 8: p.307

B

Baker, R. E. Development of Technical Personnel on the Job. no. 3: p. 17–A
Beaver, W. M. Synthetics vs. Nitrocellulose Lacquers. no. 10: p. 450
Beebe, C. W., Rogers, J. S., Luvisi, F. P., and Koepp, W. H. Sodium Arsenite as Debarking Agent Causes Loss of Tannin in Hemlock Bark. no. 1: p. 38
Bell, G. E. *See* Compton, K. C.
Bethel, J. S. *See* Simmons, F. C.
Bibby, R. D. Manufacture and Use of Particle Board. no. 5: p. 169
Black, R. S. Resilient Gluing Rolls. no. 7: p. 278
Bottoms, R. R. *See* Smith, F. G. W.
Bowditch, N. Care and Maintenance of Veneer Knives. no. 10: p. 423
Browne, F. L. Effects of Different Oil or Oleoresinous Vehicles on Swelling of Paint Films. no. 4: p. 152
Browne, F. L. Effects of Latex Vehicles on Swelling of Paint Films in Water. no 6: p. 235
Browne, F. L. Swelling of Linseed Oil Paints in Water and Organic Liquids. no. 8: p. 312
Browne. F. L. Effects of Temperature During Soaking and Film Formation, and Repeated Soaking and Drying on Swelling of Paint Films in Water. no. 10: p. 453

C

Campbell, R. L. Automation in Board Industry. no. 5: p. 33–A
Cantrell, W. R. Vapor Drying Western Woods. no. 1: p. 30
Carpenter, R. D. *See* Thomas, D. P.
Carr, G. J. Developments in Logging—1955. no. 2: p. 41
Clevenger, E. *See* Mater, M. H.
Close, P. D. Insulating Fiberboard Roof Deck, no. 9: p. 324
Coggan, W. G. *See* Stillinger, J. R.
Colgrove, W. H. Chemical Seasoning of Lumber. no. 10: p. 417
Compton, K. C. Increasing Sawmill Efficiency. no. 1: p. 19
Compton, K. C. and Bell, G. E. Handbook for Small Sawmill Operators: III. Mill Setup. no. 6: p. 209
Copeland, J. J. Utilization of Hardwood Waste. no. 10: p. 369
Countryman, D. Plywood Containers. no 1: p. 5
Crafton, J. M. Extruded Chipcore Board, no. 5: p. 173
Creighton, J. W. Choosing Hardwood Lumber Grade for Furniture. no. 1: p. 11
Creighton, J. W. Pro-Rating Direct Labor Costs in Furniture Plant Rough Mills. no. 3: p. 108

D

Dadswell, H. E. Forest Products Research. no. 6: p. 21–A
Deitschman, G. H. *See* Herrick, D. E.
Doughty, J. B., Taylor, F. W., and Henerey, W. T. Alkali and Thio Lignins from Pine Bark. no. 11: p. 476

E

Elliott, R. H. Prefabricated Dry Kilns. no. 9: p. 17–A
Ellis, E. E. Combustibility vs. Fire Resistivity. no. 4: p. 161

Ellis, E. E. Insurance Rates and Building Codes. no. 12: p. 489
Espenas, L. D. Bibliography on Wood Drying—1954. no. 2: p. 69
Evans, J. D. Fibreboard Furniture Packages. no. 10: p. 59–A

F

Farber, E. Roots of Research. no. 2: p. 21–A
Feldman, E. S. Air Pollution Control. no 2: p. 27–A
Finnorn, W. J. and Rapavi, A. Safe Bending Radii for Curved Laminates. no 10: p. 437
Fleischer, H. O. Alining Knife and Nosebar on Veneer Lathe and Slicer. no. 1: p. 1
Fleischer, H. O. Changing Veneer and Plywood Industry. no. 2: p. 50
Foland, M. A. Marketing and Research. no. 12: p. 22–A
Fountain, W. C. and Guernsey, F. W. Variables Affecting Shrinkage of Western Hemlock. no. 4: p. 148
Fox, S. P. Effects of Certain Variables in Scarf-Jointed Timber Laminations. no. 10: p. 428
Franciosi, G. F. Incising Beech Cross Ties. no. 7: p. 264
Frashour, R. G. and Nixon, G. D. Hardboard from Extracted Juniper Chips. no. 2: p. 73
Freeman, S. W. Protection of Furniture for Shipment. no 10: p. 448

G

Gardner, J. A. F. *See* MacLean, H.
Garlick, G. G. BRAB Committee Report on Protection Against Decay and Termites in Houses. no. 11: p. 485
Gommel, D. *See* Mayberry, E. A.
Gooch, R. M. *See* Meyer, F. J.
Graham, P. H. Research Facilities for Small Industries. no. 8: p. 285
Guernsey, F. W. *See* Fountain, W. C.

H

Hader, R. J. Experimental Designs Applicable to Wood. no. 10: p. 425
Hammerle, W. C. How Southern Pine Mills and Dealers Can Combat Competitive Materials, no. 12: p. 19–A
Hart, C. A. Effect of Temperature Variation on Cyclic Exposure Test for Glue Bond Durability. no. 7: p. 247
Hatfield, I. Advances in Wood Preservation in 1954–55. no. 2: p. 59
Henerey, W. T. *See* Doughty, J. B.
Henriksson. S. T. *See* Hudson, M. S.
Herr, C. S. *See* Whittemore, L. F.
Herrick, D. E. and Deitschman, G. H. Effect of Tractor Logging upon Hardwood Stands. no. 10: p. 403
Holden, A. S. Jr. Veneer Drying. no 11: p. 459
Hoyle, R. J. Jr. Strength of Glued Dowel Joints in Tension. no. 10: p. 387
Hudson, M. S. and Henriksson, S. T. Oscillating Pressure Method of Wood Impregnation. no. 10: p. 381
Hunt, G. M. Ten Years of FPRS Progress. no. 5: p. 31–A
Hutchison. O. K. Central States Forests. no. 7: p. 255
Hvamb, G. (Translation by L. H. Reineke.) Elastic Wedges for Sash Gang Saws. no. 4: p. 27–A
Hyler, J. E. Width Aspects of Molders and Cutters. no. 1: p. 15
Hyler, J. E. Blower System Design and Installation. no. 2: p. 26–A
Hyler, J. E. Planer Feeding. no. 6: p. 240
Hyler, J. E. Reeling at Rotary Lathe. no. 12: p. 24–A

I

Ivory, E. P. Reducing Sawmill Waste. no. 8: p. 279

J

Johnson, E. S. Finishing Developments—1955. no. 2: p. 72
Jorgensen, R. N. Strength and Elastic Properties of Two-Species Laminated Beams. no. 6: p. 215
Jorgensen, R. N. Research and Wood Use. no. 8: p. 18–A

K

Kaufert, F. H. FPRS Committees—Contributors to Society's and Industry's Growth. no. 2: p. 19–A
Kauman, W. G. Superheated Steam Drying. no. 9: p. 328
Kelley, T. M. U. S. Navy Experience with Carbides in Woodworking. no. 4: p. 159
Kelsey, K. E. Shrinkage Intersection Point—Significance and Method of Determination. no. 10: p. 411
Kennedy, R. W. Fungicidal Toxicity of Extraneous Components of Douglas-Fir Heartwood. no. 2: p. 80
Kennedy, R. W. and Wilson, J. W. Taxifolin Content of Douglas-Fir Stem Exhibiting Target Ring. no 6: p. 230
Kirsch, A. J. Finishing. no. 12: p. 500
Kivimaa, E. Rotary Veneer Cutting. no. 7: p. 251
Koch, P. Lumber Planing. no. 10: p. 393
Koepp, W. H. *See* Beebe, C. W.
Kotok, E. S. *See* Peck, E. C.
Kramer, P. R. and Smith, R. L. Strength Properties of Plantation-Grown Slash Pine. no. 3: p. 129
Kruger, K. W. Developments in Packaging in 1955. no. 2: p. 67
Kuenzel, J. G. *See* Miles, W. H.

L

Ladell, J. L. High-Temperature Drying of Birch. no. 11: p. 469
Lagers, W. L. Electric Drives for Lumber Industry. no. 9: p. 25–A
Lance, O. C. NWMA Standards for Millwork. no. 2: p. 24–A
Lewis, W. C. Testing and Evaluating Building Boards. no 7: p. 241
Locke, E. G. Review of Chemical Utilization. no. 2: p. 63
Locke, E. G. Wood as Chemical Raw Material. no. 8: p. 289
Louis, L. R. Particle Board by Continuous Process. no. 5: p. 176
Lund, A. E. and Sciascia, M. Color Indicator for Differentiation of Sapwood and Heartwood in Douglas-fir. no. 11: p. 483
Lutz, J. F. Effect of Wood-Structure Orientation on Smoothness of Veneers. no. 11: p. 464
Luvisi, F. P. *See* Beebe, C. W.

M

MacLean, H. and Gardner, J. A. F. Distribution of Fungicidal Extractives in Western Red Cedar Heartwood. no. 12: p. 510
Malcolmson, J. D. Importance of Paperboard as Forest Product. no. 5: p. 198
Mann, J. W. Veneer Splicing Techniques. no. 2: p. 85
Marckworth, G. D. Basic Courses in Forest Products Curriculum. no. 4: p. 24–A
Marra, A. A. Developments in Glues and Gluing. no. 2: p. 54
Marra, A. A. Testing Adhesives: III. Response of Cross-Lap Specimen to Joint Defects. no. 4: p. 142
Marra, G. G. Rapid Laminating of Lumber without High-Frequency Heat. no 3: p. 97
Mater, M. H. Developments in Milling—1955. no. 2: p. 48
Mater, M. H. and Clevenger, E. Handbook for Small Sawmill Operators: I. Machinery. no. 4: p. 137
Mater, M. H. Power Requirements for Sawing Redwood Cants. no. 10: p. 408
Matson, E. E. Needed: Economical Methods of Logging Young-Growth Western Softwoods. no. 1: p. 16
Maybach, L. F. On-the-Job Training for Technical Personnel. no. 3: p. 14–A
Mayberry, E. A. and Gommel, D. Handbook for Small Sawmill Operators: II. Saws. no. 5: p. 190
McKay, R. A. Manufacture of Molded Plywood. no. 9: p. 321
Meadows, J. C. Jr. Longitudinal Shear in Beams. no. 9: p. 337
Meek, W. L. Preservatives in Board Products. no. 10: p. 371
Merritt, E. H. Engineering of Veneer and Plywood Plant. no 10: p. 419
Meyer, F. J. and Gooch, R. M. Effect of Oil Carrier on Pentachlorophenol-Treated Wood in Ground Contact Exposure. no. 3: p. 117
Miles, W. H. and Kuenzel, J. G. Gluing Developments in Shipbuilding. no. 6: p. 213
Miller, S. M. *See* Smith, F. G. W.
Moore, C. B. Fruit and Vegetable Containers. no. 6: p. 26–A
Morris, J. W. Jr. Materials of Construction Related to Insurance Costs. no. 10: p. 55–A
Mueller, L. A. *See* Peck, E. C.
Murphey, W. K. and Nearn, W. T. Effect of Moisture Content on Resorcinol Glue Lines in Laminated Oak. no. 5: p. 194
Murphey, W. K. and Schneider, G. D. Greater Utilization Obtained with Wood Slicer. no. 9: p. 319

N

Nearn, W. T. *See* Murphey, W. K.
Nelson, D. Research in Forest Products and Forestry. no. 4: p. 19–A
Nixon, G. D. *See* Frashour, R. G.

O

Olson, A. R. Iranian Charcoal Kiln. no. 9: p. 345
O'Neil, W. J. and Sims, J. P. Handbook for Small Sawmill Operators: Glossary and Appendix. no. 8: p. 302
Ostrander, M. D. Bending Strength Values of Dimension Lumber in Farm Work Buildings in Northeast. no. 6: p. 232

P

Panshin, A. J. Forest Products Education. no. 2: p. 58
Pearce, J. K. Bird-Dogging Forest Materials. no. 1: p. 27
Pearl, I. A. Manufacture of Pure Organic Chemicals from Pulping Wastes. no. 12: p. 505
Pearson, W. J. Estimating Service Life of Exterior Grade Plywood. no. 6: p. 221
Peck, E. C., Kotok, E. S., and Mueller, L. A. Air Drying Ponderosa Pine Lumber. no. 2: p. 88
Pope, E. M. Prefabricated Dry Kilns. no. 11: p. 19–A
Pratt, W. E. Estimating Moisture Content During Drying Process. no. 9: p. 333
Price, B. Wood in Construction. no. 8: p. 296

R

Randle, L. M. Shipping Lumber in Box Cars, no. 7: p. 20–A
Rapavi, A. *See* Finnorn, W. J.
Rasmussen, C. A. Research Facilities of Western Pine Association. no. 7: p. 17–A

Rauch, A. H. Identification of Exterior Plywood. no. 12: p. 497
Reed, L. O. and White, R. T. Statistical Sampling in Receiving Inspection. no. 12: p. 492
Reineke, L. H. *See* Hvamb, G.
Reineke, L. H. Sawing Rates, Sawdust Chambering, and Spillage. no. 9: p. 348
Reineke, L. H. Motion Energy of Wood Particles. no. 12: p. 507
Robertson, R. B. Challenges in Forestry and Forest Products Research. no. 10: p. 51–A
Rogers, J. S. *See* Beebe; C. W.
Rooney, S. C. Establishing a Particle Board or Hardboard Plant. no. 3: p. 110
Ross, J. D. Chemical Resistance of Western Woods. no. 1: p. 34
Rovsek, F. J. History of FPRS. no. 10: p. 355
Roy, L. Stiffness Factors In Plywood Constructions. no. 4: p. 162

S

Schneider, G. D. *See* Murphey, W. K.
Schniewind, A. P. Sorption Hysteresis in Relation to Wood Thickness. no. 6: p. 225
Schulz, G. Increasing Preservative Penetration in Spruce and Aspen by Mold Infection. no. 2: p. 77
Sciascia, M. *See* Lund, A. E.
Shelton, N. T. Chip Yield and Materials Balance Related to Log Size of California Pine and Fir. no. 8: p. 281
Simmons, F. C. and Bethel, J. S. Handbook for Small Sawmill Operators: Introduction. no. 3: p. 105
Simmons, F. C. Look Ahead in Northeastern Sawmilling. no. 8: p. 292
Sims, J. P. *See* O'Neil, W. J.
Smetana, T. Effect of Board Products on Plywood Markets. no. 1: p. 16–A
Smith, F. G. W., Bottoms, R. R., Abrams, E., and Miller, S. M. Long Term Preservation of Wood by Chemical Modification. no. 9: p. 340
Smith, H. H. Improved Utilization of Western Hardwoods by Modern Drying. no. 3: p. 121
Smith, R. L. *See* Kramer, P. R.
Smith, W. R. Technical Training Through Short Courses. no. 1: p. 11–A
Solow, R. I. Laminates in Building—1975. no. 8: p. 19–A
Stamm, A. J. Dimensional Stabilization with Carbowaxes. no. 5: p. 201
Stillinger, J. R. and Coggan, W. G. Relationship of Moisture Content and Flexural Properties in 25 Hardboards. no. 5: p. 179
Suddarth, S. K. Hydraulic Test Facility for Timber Structures. no. 5: p. 186

T

Taylor, F. W. *See* Doughty, J. B.
Tebbets, J. W. Operational Research in Wood Turning. no. 6: p. 24–A
Thomas, D. P. and Carpenter, R. D. Handbook for Small Sawmill Operators: IV. Mill Operation and Trouble Shooting. no. 7: p. 258
Thompson, C. O. Wooden Boxes and Crates. no. 4: p. 21–A
Tolle, S. W. Sawmill Developments in Northeast. no. 6: p. 19–A

U

Urling, G. P. Wood Particle Board. no. 10: p. 363

V

V: Allen, R. G. Applying Pentachlorophenol to Wood in Place. no. 10: p. 374
Verrall, A. F. Non-Pressure Treatments for Exterior Woodwork. no. 11: p. 17–A

W

Welch, W. E. Economics of Laminated Structures. no. 7: p. 271
Welsh, J. R. Merchandising Forest Products. no. 6: p. 17–A
White, R. T. *See* Reed, L. O.
Whittemore, L. F. and Herr, C. S. Integrated Utilization of Northeastern Timber. no. 1: p. 13–A
Wiesehuegel, E. G. Research and Industrial Development. no. 10: p. 53–A
Wilder, R. F. Production Control for Maximum Machine Efficiency. no. 3: p. 13–A
Willard, R. Furniture of Future. no 8: p. 299
Wilner, J. R. Waste Utilization. no. 8: p. 17–A
Wilson, J. W. *See* Kennedy, R. W.
Winkel, L. D. Casehardening Stress Relief of Ponderosa Pine. no. 3: p. 124
Works, W. R. Plastic Overlays. no. 1: p. 18–A

Y

Yale, R. H. Composition Board in Furniture Industry. no. 10: p. 365

Z

Zerbe, J. I. Impact Modulus of Elasticity: Relationship of Impact Values to Static and Dynamic Measurements. no. 5: p. 205
Zobel, B. J. Factors Affecting Specific Gravity of Loblolly Pine. no. 10: p. 442

NOW! SAVE 50% on BACK PROCEEDINGS

We are over-stocked on back issues of FPRS "Annual Proceedings," 1947–54.

Each volume contains all of the National Meeting papers and reports of that year. All volumes except 1952–54 are cloth bound.

Complete set, regular $61, now $30.50, includes 358 articles, over 2,000 pages of information—a "Library of Wood Technology!" We pay postage when you include remittance.

Special! 9-year "Cumulative Index" included with each set ordered.

To: Forest Products Research Society
Box 2010, University Station
Madison 5, Wisconsin

Send me the following books:

1947 Vol. I ------ $3.00 ☐ 1951 Vol. V ------ $5.00 ☐
1948 Vol. II ------ $4.00 ☐ 1952 ------ $3.50 ☐
1949 Vol. III ------ $4.00 ☐ 1953 ------ $3.50 ☐
1950 Vol. IV ------ $4.00 ☐ 1954 ------ $3.50 ☐
☐ Complete Set $30.50

Name ----------
Firm ----------
Street ----------
City ---------- State ----------

YOU NEED AN M.D.*

. . . to determine whether your lumber is dried to the right moisture content.

. . . if you encounter warpage or end checking during production.

. . . if your customers are complaining of shrinkage or swelling.

. . . to learn whether you are paying freight on excess moisture.



*Delmhorst Moisture Detector

A Delmhorst Moisture Detector makes it easy for you to know the moisture content of any wood in a matter of seconds without involved calculations. Yet, the instrument is so low priced it pays for itself in a short time!

MAIL THE COUPON BELOW TO DELMHORST INSTRUMENT CO. FOR FREE INFORMATION ON USING LUMBER AT THE RIGHT MOISTURE CONTENT. NO OBLIGATION—OF COURSE.

DELMHORST INSTRUMENT CO., 619 CEDAR ST., BOONTON, N. J.

Please send information to:

Mr. ----------

Title: ----------

OLIVER Borers speed work thru machine room

65 years' experience has taught our engineers the secrets of woods. Many leading woodworkers cut, shape and finish their products on Oliver machines.

No. 71DX bores 1 to 6 staggered holes in one stroke . . . from 7/8" to 48" between centers



This machine has a long table and slide to permit straightline or staggered boring a distance of 48" between centers of outside spindles. Has three heads with receptacles for connecting three additional heads. Automatic variable feed—8 to 22 strokes a minute. Automatic clamping—air or mechanical. Bores holes up to 5/8" diameter, 2" deep. Uses any of a wide variety of boring heads. Write for Bulletin 71DX.

• The No. 71D bores up to 4 holes in one stroke. Also single-head Horizontal Borers with one or two spindles. Ask for full details.

No. 73TT bores holes up to 3" diameter, 12" deep to center of 36"



This new machine has two independent spindles for boring two sizes of holes. A one-piece column has wide ways for knee. Table is 18"x 30" with 17" vertical adjustment. Table tilts 40° to and from column, 15° to right and left. Graduated rockers indicate angle accurately. Smooth V-belt drive. Various speeds available. Also offered as a Single Spindle Borer. Write for Bulletin.

• Three other Vertical Borers of smaller capacity are popular with woodworkers everywhere.

Write for folders on any of these Oliver machines:

Jig Saws	Shapers
Saw Benches	Jointers
Cut-Off Saws	Surfacers
Vertical Borers	4" Moulder
Horizontal Borers	Belt Sanders
Multiple Spindle Carvers	Disk Sanders
Tenoner	Wood Trimmers

OLIVER MACHINERY COMPANY

Established 1890 **GRAND RAPIDS 2, MICHIGAN**

INDEX TO ADVERTISERS

American Cyanamid Co. ---- 2nd Cover
Behr–Manning Co. ---- 9–A
Black Brothers Co., Inc. ---- 6–A
Borden Company ---- 7–A
Buss Machine Works ---- 3–A
Chapman Chemical Co. ---- 11–A
Delmhorst Instrument Co. ---- 39–A
Greenlee Brothers & Co. ---- 4–A
Hamilton Hotel ---- 27–A
Laucks Laboratories, Inc. ---- 40–A
Mattison Machine Works ---- 3rd Cover
Monsanto Chemical Co. ---- 2–A
Morton Salt Co. ---- 5–A
Oliver Machinery Co. ---- 40–A
W. H. Rambo ---- 40–A
Reichhold Chemicals, Inc. ---- 10–A
Standard Dry Kiln Co. ---- 30–A
Williams Patent Crusher & Pulverizer Co. ---- 28–A
Williams–White & Co. ---- 12–A
Wood Treating Chemicals Co. ---- 29–A
Woodworking Machinery Manufacturers Assoc. ---- 4th Cover
Yates–American Machine Co. ---- 8–A

W. H. RAMBO

INDUSTRIAL PLANT ENGINEER

Specialist in
Furniture & Woodworking Plants
Sawmills, Veneer Plants
Paper Mill Wood Rooms
Hard Board Plants & Wood
Preserving Plants
Design, Supervision of Construction
Reports & Surveys

Loyalty Bldg. Portland 4, Ore.

Moisture problem? solve it with

LAUCKS Sentry PAT. APPLIED FOR ®

CONTINUOUS MOISTURE DETECTOR

Gives 100% inspection of moving veneer, lumber, core and dimensional stock, paper, fibreboard and related products. Automatically rejects any material outside the proper moisture limit. Eliminates poor glue bonds, warpage, splits, dimensional change and other moisture-induced "fall-downs." Dryer schedules may be adjusted to peak performance. A production line machine, Laucks SENTRY® gives continuous and highly accurate control—permits safe speed-ups through entire production cycle. Write TODAY for free brochure.

LAUCKS LABORATORIES INC.

1201 Poplar Place Seattle 44, Washington

A LEADER IN WOOD TECHNOLOGY FOR 48 YEARS